

Automatic and manual eyelet insertion machines



Twin head eyeletting machine PiccoStar 102-60



Tradition in perfection

Piccolo and PiccoStar


- Can be used for paper, cardboard, plastics, etc.
- Ideal for contracts, certificates and labels
- Eyeletting machines for manual operation or stand with foot switch as well as electrical drive
- Automatic eyelet infeed
- Punches holes and inserts eyelets in a single working step (the eyelet punches the hole)
- Material support with side and rear gauges
- Optional: adjustable support for different formats (models 102-00/-04/-10/-14/-15/-20/-28)

Piccolo 102-00 / 102-10 / 102-20

- Single head eyeletting machine
- Manual operation / stand with foot pedal
- Available for **one** eyelet diameter, 4 mm or 5.5 mm (5.5 mm suitable for filing documents)
- With self-punching eyelets up to 20 sheets with 80 gsm paper or material thickness up to 2 mm
- Available either with table and gauge system in basic version (102-00) or in comfort version (102-10)



Model 102-00 / 102-04



Model 102-10 / 102-14



Model 102-15

Piccolo 102-04 / 102-14 / 102-28

- Single head eyeletting machine
- Manual operation / stand with foot pedal
- Available for **one** eyelet size with an inner diameter in the range of 3 – 7.5 mm
- With self-punching eyelets: up to 30 sheets with 80 gsm paper or material thickness up to 3 mm
- With pre-punched material: up to 80 sheets with 80 gsm paper or material thickness up to 8 mm
- Easily convertible for one other eyelet type from 3 – 7.5 mm
- Available either with table and gauge system in basic version (102-04) or in comfort version (102-14)



Model 102-20 / 102-28

Piccolo 102-15

- Twin head eyeletting machine
- Manual operation
- Fixed distance between centers 80 mm
- Available for **one** eyelet size with an inner diameter in the range of 3 – 7.5 mm
- With self-punching eyelets: up to 30 sheets with 80 gsm paper or material thickness up to 3 mm
- With prepunched material: up to 50 sheets with 80 gsm paper or material thickness up to 5 mm
- Supporting table and adjustable rear and side gauges guarantee exact positioning

PiccoStar – Fast, precise and effortless

PiccoStar 102-50: Single head eyeletting machine


PiccoStar 102-60: Twin head eyeletting machine with fixed centers of 80 mm

- Electrical drive
- Automatic eyelet infeed
- Set up for **one** eyelet size with an inner diameter in the range of 3 – 7.5 mm
- Punches holes and inserts eyelets in a single working step (the eyelet punches the hole)
- With self-punching eyelets: up to 30 sheets with 80 gsm paper or material thickness up to 3 mm
- With pre-punched material: up to 50 sheets with 80 gsm paper or material thickness up to 5 mm
- Supporting table and adjustable rear and side gauges guarantee exact positioning
- Release by button
- Optional: electric foot switch

By using eyeletting machines from Hang, important documents of up to 50 pages can be made forgery-safe and non-changeable unless destroyed (passports, policies, contracts).



Model 102-50




Model 102-60

Technical data

	102-00 / -04	102-10 / -14	102-20 / -28	102-15	102-50	102-60
Working depth	85 mm	70 mm	55 mm	70 mm	60 mm	60 mm
Tension					230 V, 50 Hz	230 V, 50 Hz
Width	295 mm	470 mm	500 mm	620 mm	470 mm	610 mm
Depth	330 mm	335 mm	500 mm	340 mm	580 mm	580 mm
Height	380 mm	395 mm	1.150 mm	375 mm	370 mm	370 mm
Weight	12 kg	16 kg	44 kg	28 kg	43 kg	58 kg

Standard eyelets for paper industry



Article	Eyelets												
	24	25	26	8E 3 mm	8E 4 mm	8E 5 mm	9E	269	270	271	272	273	904 Plastic
D	6.7	6.6	7.5	8	8	8	11.3	10	10	10	10	10	8.5
d1	4.6	4.7	4.7	6.2	6.2	6.2	8.3	5.7	5.8	6.7	6.7	6.9	5.4
L	2.9	3.8	5.7	3	4	5	3.8	5.3	6.9	7.2	4.9	10	4
d2	4	4	4.1	5.5	5.5	5.5	7.5	5	5	6	6	6	4.5

Special dimensions upon request

Article	Eyelets		Sheet										
	24	25	26	8E 3 mm	8E 4 mm	8E 5 mm	9E	269	270	271	272	273	904 Plastic
Piccolo 102-00 / -10 / -20	2 – 15	2 – 20		2 – 15	2 – 20								2 – 20v
Piccolo 102-04 / -14 / -28			10 – 25	2 – 15	2 – 20	5 – 25	2 – 20	5 – 30	10 – 30s 30 – 50v	10 – 30s 30 – 50v	5 – 30	40 – 80v	
Piccolo 102-15	2 – 15	2 – 20	10 – 25	2 – 15	2 – 20	5 – 25	2 – 20	5 – 30	10 – 30s 30 – 50v	10 – 30s 30 – 50v	5 – 30		2 – 20v
PiccoStar 102-50	2 – 15	2 – 20	10 – 25	2 – 15	2 – 20	5 – 25	2 – 20	5 – 30	10 – 30s 30 – 50v	10 – 30s 30 – 50v	5 – 30		2 – 20v
PiccoStar 102-60	2 – 15	2 – 20	10 – 25	2 – 15	2 – 20	5 – 25	2 – 20	5 – 30	10 – 30s 30 – 50v	10 – 30s 30 – 50v	5 – 30		2 – 20v

s = self-punching v = pre-punched

hang ○ ○ ●
Requirement. Competence. Perfection.

Technical specifications are subject to change without prior notice.

RICHTER & MENZEL GmbH
Südstraße 28 ♦ 09221 Neukirchen
Tel. 03 71 / 33 42 64 - 0 ♦ Fax 03 71 / 33 42 64 - 90

RICHTER & MENZEL GmbH - Ndl. Mannheim
Chemnitzer Str. 6-8 ♦ 68309 Mannheim
Tel. 0621 / 72 49 47 - 0 ♦ Fax 0621 / 72 49 47 - 29

Internet: www.richter-menzel.de ♦ E-mail: kontakt@richter-menzel.de

www.werboffice.de